
FLASHINGS

STANDARD & CUSTOM MADE



A Met-TECH™ GUIDE

APRIL 2026

Metroll®

BETTER SERVICE • BETTER BUILDING SOLUTIONS

METROLL FLASHINGS

Metroll offer a comprehensive selection of flashings, barge ends, corner trims and foot moulds. All are manufactured to complement the appearance and functionality of Metroll gutters, claddings, roofing and building products. Metroll flashings come in a range of styles, colours and sizes to suit commercial, residential, industrial and rural applications. Materials include COLORBOND®, ZINCALUME® and galvanised steels in a range of widths up to 1200mm.

STANDARD & CUSTOM FLASHINGS

Standard flashings include ridge caps, valley gutters, corner moulds, end aprons and barge cappings. These products have predetermined bends and lengths to suit Corodek®, Trimclad®, Metlok 700®, Metrospan®, Metroclad®, Metrib®, Mini Corodek® and Spanplus 500®. Almost any size and shape of flashing can be manufactured in a range of materials and colours. Standard Metroll flashings are manufactured up to 1200mm wide. Custom made flashings can be made in varying lengths up to a maximum of 8m.

MATERIAL COMPATIBILITY

	DIRECT MATERIAL CONTACT									DRAINAGE FROM UPPER SURFACE TO LOWER SURFACE									
	ACCESSORY, FASTENER OR UPPER SURFACE																		
ROOF OR RAINWATER MATERIAL	ZINCALUME®	Galvanised	Zinc	COLORBOND® steel	SUPERDURA® stainless steel	Stainless Steel	Aluminium Alloys	Copper & Alloys	Lead	ZINCALUME®	Galvanised	Zinc	COLORBOND® steel	SUPERDURA® stainless steel	Stainless Steel	Aluminium Alloys	Copper & Alloys	Lead	Roof Tiles, Glass, Plastic
ZINCALUME® steel	✓	✓	✓	✓	x	x	✓	x	x	✓	✓	✓	✓	✓	✓	✓	x	x	✓
Galvanised	✓	✓	✓	✓	x	x	✓	x	x	x	✓	✓	x	x	x	x	x	✓	x
Zinc	✓	✓	✓	✓	x	x	✓	x	x	x	✓	✓	x	x	x	x	x	✓	x
COLORBOND® steel	✓	✓	✓	✓	x	x	✓	x	x	✓	✓	✓	✓	✓	✓	✓	x	x	✓
SUPERDURA® stainless steel	x	x	x	x	✓	✓	x	x	x	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stainless Steel	x	x	x	x	✓	✓	x	x	x	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Aluminium Alloys	✓	✓	✓	✓	x	x	✓	x	x	✓	✓	✓	✓	✓	✓	✓	x	x	✓
Copper & Alloys (C&A)	x	x	x	x	x	x	x	✓	x	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Lead	x	x	x	x	x	x	x	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Never use lead products with products made from COLORBOND® and ZINCALUME® steels. Avoid drainage from copper products onto COLORBOND®, ZINCALUME® or galvanised steel. Bare metal and some chemically treated timbers are not compatible with COLORBOND®

What is Met-TECH™?

Met-TECH™ is Metroll's Technical Resource Centre. It is the one stop shop for all of Metroll's product and technical information. Perfect for builders, contractors and specifiers to source all the information they may require. You can find other Met-TECH™ items on our website **www.metroll.com.au/resources**

ADVERSE CONDITIONS

Localised environmental conditions can impact the corrosive nature of a site which may impact on material choice. Conditions that may impact on material choice include; direction of prevailing winds, rainfall intensity, duration of exposure, temperature, shelter and areas not washed by rainfall. Contact your local Metroll branch if you intend to use flashing products within 1km of industrial, chemical, marine or corrosive environments.


AVAILABILITY & DELIVERY

Metroll flashings are available from the national network of Metroll offices. Contact your local Metroll branch for delivery days in your area.

CUSTOM MADE FLASHINGS

GUTTERS


1




2




3




4




5




6




7




8




9




10




11




12




13




14




15




16




17




18



19




20




CAPPINGS


21




22




23




24




25




26




27




28




29




30




31




32




33



34




35




FLASHINGS


36




37




38



39



40



41

42

43

44

45

46

47

48

49

50

OTHER

51

52

53

54

55

56

57

58

59

60

HOW TO ORDER:

1. Choose the appropriate profile number, material thickness and finish.
2. Should COLORBOND® steel be required, nominate which side the colour is to be.
3. Identify the measurement for each letter shown.
4. Identify the angle where applicable.
5. Specify direction for tapered flashings.
6. Advise the quantity and length applicable to each profile.
7. Include a flashing sketch to ensure order accuracy.

Can we assist with any additional Steel Building Products?



QLD	
Brisbane	07 3375 0100
Bundaberg	07 4155 5999
Cairns	07 4054 0888
Mackay	07 4968 1255
Rockhampton	07 4920 0900
Sunshine Coast	07 5493 7873
Toowoomba	07 5634 6144
Townsville	07 4779 8266

NSW	
Albury	02 6043 6800
Canberra	02 6298 2777
Dubbo	02 6883 4800
Lismore	02 6622 6677
Newcastle	02 4954 5799
Smithfield	02 9756 5277
Sydney	1300 766 346
Tamworth	02 6765 4799
Wagga Wagga	02 5924 4500

VIC	
Ballarat	03 5335 6416
Geelong	03 5248 2006
Laverton	03 8369 8300
Pakenham	03 8710 9300
Sunshine	03 9480 3744
TAS	
Hobart	03 6335 8555
Launceston	03 6335 8555

NT	
Darwin	08 8935 9555
SA	
Adelaide	08 8282 3300
WA	
Albany	08 9841 6966
Bunbury	08 9796 9796
Kalgoorlie	08 9024 1388
Perth	08 9365 5444

30 Metroll Branches Nationwide

Visit our website
metroll.com.au

Metroll®
BETTER SERVICE • BETTER BUILDING SOLUTIONS

All reasonable care has been taken in the compilation of the information contained in this brochure. All recommendations on the use of Metroll products are made without guarantee as conditions of use are beyond the control of Metroll. It is the customers responsibility to ensure that the product is fit for its intended purpose and that the actual conditions of use are suitable. Metroll pursues a policy of continuous development and reserves the right to amend specifications without prior notice. The Metroll M and Logo are registered trademarks of Metroll. COLORBOND®, ZINCALUME®, GALVASPAN® steels are all registered trademarks of BlueScope Steel Limited.

F_APR26